Oshawa Forklift Training Course

Oshawa Forklift Training Course - Federal and industry regulators have established the criteria for forklift safety training based on their current standards and regulations. Individuals wishing to use a forklift should complete a forklift training program prior to working with one of these equipment. The accredited Forklift Operator Training Program is intended to provide trainees with the practical skills and knowledge to become an operator of a forklift.

There are forklift operation safety rules that must be followed pertaining to pre-shift inspections, and rules for loading and lifting.

Prior to a shift starting, an inspection checklist needs to be completed and submitted to the Supervisor or Instructor. If whatever maintenance issue is discovered, the machinery should not be utilized until the issue is addressed. To indicate the machine is out of service, the keys have to be removed from the ignition and a warning tag placed in a location that is visible.

Safety rules for loading will include checking the load rating capacity on the forklift to determine how much the machinery could handle. When starting the equipment, the forks must be in the downward position. Don't forget that there is a loss of about one hundred pounds carrying capacity for every one inch further away from the carriage which the load is carried.

In order to safely lift a palletized load, drive the forklift toward the pallet and halt with the fork three inches from the load. Level the mast until it is at right angles to the load. Raise the forks to an inch beneath the slot on the pallet and drive forward. After that lift forks four inches. Tilt back the load to be able to secure it for moving. Drive the lift in reverse if the load obscures frontal vision. Check behind and honk to alert other employees. Never allow forks to drag on the ground.

Forklift loads must be loaded in such a way that they are secure and do not create a hazard to other people or objects. Restraining loads is necessary for materials which may shift during transport and destabilize the forklift.

Drums could be strapped together so as to prevent shifting and movement of the drums. Operators of forklifts should drive slowly when transporting liquids, to decrease instability in the forklift.